	Туре	Hits	. Search Text	DBs	Time Stamp
19	BRS	48	((356/39.ccls. and blood and analyte\$1 and filter\$3) and @ad<20011108) and (IR or infrared)	USPAT	2003/11/04 12:50
20	BRS	48	(((356/39.ccls. and blood and analyte\$1 and filter\$3) and @ad<20011108) and (IR or infrared)	USPAT	2003/11/04 12:50
21	BRS	7	(((356/39.ccls. and blood and analyte\$1 and filter\$3) and @ad<20011108) and (IR or infrared)) and (center adj wavelength\$1)	USPAT	2003/11/04 12:50
22	BRS	—	250/339.1,339.2.ccls.	US-PGPUB	2003/11/17 10:13
23	BRS	91	250/339.1,339.2.ccls.	USPAT	2003/11/17 10:14
24	BRS	1304	356/39,40,41.ccls.	USPAT	2003/11/17 10:15
25	BRS	1022	422/82.05.ccls.	USPAT	2003/11/17 10:16
26	BRS	181	600/347.ccls.	USPAT	2003/11/17 10:17
27	BRS	2553	250/339.1,339.2.ccls. or 356/39,40,41.ccls. or 422/82.05.ccls. or 600/347.ccls.	USPAT	2003/11/17 10:18
28	BRS	1245	(250/339.1,339.2.ccls. or 356/39,40,41.ccls. or 422/82.05.ccls. or 600/347.ccls.) and filter	USPAT	2003/11/17 10:18
29	BRS	34	((250/339.1,339.2.ccls. or 356/39,40,41.ccls. or 422/82.05.ccls. or 600/347.ccls.) and filter) and (center adj wavelength)	USPAT	2003/11/17 10:20
30	BRS	21	(((250/339.1,339.2.ccls. or 356/39,40,41.ccls. or 422/82.05.ccls. or 600/347.ccls.) and filter) and (center adj wavelength)) and blood	USPAT	2003/11/17 10:21
31	BRS	15	((((250/339.1,339.2.ccls. or 356/39,40,41.ccls. or 422/82.05.ccls. or 600/347.ccls.) and filter) and (center adj wavelength)) and blood) and analyte	USPAT	2003/11/17 10:21

	Туре	Hits	Search Text	DBs	Time Stamp
	BRS	3	"10055875"	US-PGPUB	2003/11/17 10:12
2	BRS	-	(blood adj analyte adj detect\$3) and calibration	USPAT	2003/11/04 12:03
ω	BRS		(blood adj analyte adj detect\$3) and calibrat\$3	USPAT	2003/10/29 20:02
4	BRS	494	blood and (analyte adj detect\$3) and calibrat\$3	USPAT	2003/10/29 20:03
2	BRS	0	(blood and (analyte adj detect\$3) and calibrat\$3) and (blood and calibrat\$3).ti.	USPAT	2003/10/29 20:04
6	BRS	42	(blood and calibrat\$3).ti.	USPAT	2003/10/30 09:55
7	BRS	14	(blood and (analyte adj detect\$3) and calibrat\$3) and 73/\$.ccls.	USPAT	2003/10/29 20:20
8	BRS	7	((blood and calibrat\$3).ti.) and 73/\$.ccls.	USPAT	2003/10/29 20:17
9	BRS	924	356/39.ccls.	USPAT	2003/10/30 09:55
10	BRS	8	356/39.ccls. and (tunable adj filter)	USPAT	2003/11/04 12:03
11	BRS	8	(356/39.ccls. and (tunable adj filter)) and blood	USPAT	2003/10/30 09:57
12	BRS	6	((356/39.ccls. and (tunable adj filter)) and blood) and analyte	USPAT	2003/10/30 10:04
13	BRS	0	(((356/39.ccls. and (tunable adj filter)) and blood) and analyte) and extractor	USPAT	2003/10/30 10:04
14	BRS	1217	blood and extractor	USPAT; EPO; JPO; DERWENT	2003/10/30 10:04
15	BRS	2	(blood and extractor) and (tunable adj filter)	USPAT; EPO; JPO; DERWENT	2003/10/30 10:05
16	BRS	66	356/39.ccls. and blood and analyte\$1 and filter\$3	USPAT	2003/11/04 12:05
17	BRS	66	(356/39 ccls. and blood and analyte\$1 and filter\$3) and @ad<20011108	USPAT	2003/11/04 12:06
18	BRS	9	((356/39.ccls. and blood and analyte\$1 and filter\$3) and @ad<20011108) and (center adj USPAT wavelength\$1)	USPAT	2003/11/04 12:50